

**Limestone Sample Tests Performed**

from 01/01/2013 to 04/22/2013

**County: ADAIR**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV  | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|------|--------------------|
| <b>GADDIE SHAMROCK LLC/WILLIAMS QUARRY</b><br>HWY 55 S<br>COLUMBIA, KY 42728<br>License ID: 10619 | 04/11/2013 | 03/25/2013 | 89.6      | 91.1        | 35.5        | 56.7 | 04/17/2013         |

**County: ALLEN**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>GLASS AGGREGATES #1310</b><br>2438 OLD STATE RD E<br>SCOTTSVILLE, KY 42164<br>License ID: 10702 | 03/28/2013 | 03/12/2013 | 93.7      | 99.3        | 40.3        | 65.41 | 04/17/2013         |

**County: ANDERSON**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HANSON AGGREGATES MIDWEST LLC TYRONE QUARRY</b><br>1645 TYRONE RD<br>LAWRENCEBURG, KY 40342<br>License ID: 10685 | 04/11/2013 | 03/22/2013 | 101.0     | 92.6        | 44.8        | 69.36 | 04/17/2013         |

**County: BALLARD**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>BANDANA AG INC</b><br>100 NEEDMORE RD<br>LA CENTER, KY 42056<br>License ID: 10643       | 03/26/2013 | 03/07/2013 | 97.8      | 95.5        | 46.2        | 69.32 | 04/17/2013         |
| <b>SULLIVAN LIME HAULING</b><br>498 WEST KY DR<br>LA CENTER, KY 42056<br>License ID: 10675 | 03/26/2013 | 03/07/2013 | 106.6     | 80.7        | 32.7        | 60.44 | 04/17/2013         |

**County: BARREN**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>GLASS AGGREGATES LLC</b><br>1140 FLINT KNOB ROAD<br>CAVE CITY, KY 42127<br>License ID: 10701 | 03/28/2013 | 03/12/2013 | 95.6      | 99.6        | 42.0        | 67.68 | 04/17/2013         |

**County: BOURBON**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>BOURBON LIMESTONE CO</b><br>2470 FORDS MILL RD<br>PARIS, KY 40361<br>License ID: 10620 | 03/28/2013 | 03/15/2013 | 103.1     | 93.2        | 36.5        | 66.86 | 04/17/2013         |

KENTUCKY DEPARTMENT OF AGRICULTURE  
 Division of Regulation and Inspection  
**Limestone Sample Tests Performed**

2 of 11  
 04/22/2013

from 01/01/2013 to 04/22/2013

**County: BOYLE**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>CALDWELL STONE CO INC</b><br>1648 STANFORD RD<br>DANVILLE, KY 40422<br>License ID: 10627 | 04/10/2013 | 04/02/2013 | 90.7      | 99.4        | 80.5        | 81.59 | 04/17/2013         |

**County: BRECKINRIDGE**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>WHITE STONE COMPANY</b><br>2281 HWY 992<br>HARDINSBURG, KY 40143<br>License ID: 10614 | 04/11/2013 | 04/09/2013 | 90.0      | 97.7        | 65.3        | 73.31 | 04/17/2013         |
| <b>LITERS QUARRY</b><br>HWY 477<br>IRVINGTON, KY 40146<br>License ID: 10680              | 04/11/2013 | 04/09/2013 | 97.6      | 91.0        | 29.4        | 58.75 | 04/17/2013         |

**County: BULLITT**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>QUALITY STONE &amp; READY MIX INC</b><br>3260 N PRESTON HWY<br>SHEPHERDSVILLE, KY 40165<br>License ID: 10596 | 04/10/2013 | 04/01/2013 | 85.1      | 100.0       | 100.0       | 85.08 | 04/17/2013         |

**County: BUTLER**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>BLUEGRASS MATERIALS</b><br>2615 BOWLING GREEN RD<br>MORGANTOWN, KY 42261<br>License ID: 10646        | 03/26/2013 | 03/07/2013 | 96.7      | 89.6        | 27.3        | 56.53 | 04/17/2013         |
| <b>GREEN RIVER MATERIALS, INC</b><br>7787 BOWLING GREEN RD<br>MORGANTOWN, KY 42261<br>License ID: 24232 | 03/26/2013 | 03/07/2013 | 93.5      | 70.0        | 24.2        | 44.02 | 04/17/2013         |

**County: CALDWELL**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>ROGERS GROUP QUARRY</b><br>10234 HOPKINSVILLE RD<br>PRINCETON, KY 42445<br>License ID: 10683          | 03/28/2013 | 03/11/2013 | 101.1     | 96.1        | 39.1        | 68.34 | 04/17/2013         |
| <b>LAFARGE WEST FREDONIA QUARRY</b><br>297 FREDONIA QUARRY RD<br>FREDONIA, KY 42411<br>License ID: 10703 | 03/26/2013 | 03/11/2013 | 100.6     | 97.4        | 64.2        | 81.28 | 04/17/2013         |

**Limestone Sample Tests Performed**

from 01/01/2013 to 04/22/2013

**County: CALLOWAY**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>FURCHES FARMS</b><br>3182 SR 94 W<br>MURRAY, KY 42071<br>License ID: 9708                       | 03/26/2013 | 03/11/2013 | 99.1      | 97.1        | 51.8        | 73.77 | 04/17/2013         |
| <b>COLES LIME &amp; FERTILIZER</b><br>3005 STATE LINE RD E<br>HAZEL, KY 42049<br>License ID: 23274 | 03/26/2013 | 03/11/2013 | 97.2      | 95.0        | 58.2        | 74.47 | 04/17/2013         |

**County: CARTER**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HANSON AGGREGATES MIDWEST LLC</b><br><b>AA LIMESTONE INC</b><br>14011 STATE HWY 9<br>GRAYSON, KY 41143<br>License ID: 10705 | 03/28/2013 | 03/14/2013 | 86.0      | 85.9        | 39.1        | 53.72 | 04/17/2013         |
| <b>BRUSHY CREEK STONE LLC</b><br>1197 SR 2<br>OLIVE HILL, KY 41164<br>License ID: 32012  | 03/28/2013 | 03/14/2013 | 97.8      | 81.9        | 45.3        | 62.23 | 04/17/2013         |

**County: CASEY**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>CASEY STONE COMPANY</b><br>HWY-70<br>BETHEL RIDGE, KY 42516<br>License ID: 10654 | 04/11/2013 | 03/25/2013 | 98.3      | 92.3        | 37.5        | 63.82 | 04/17/2013         |

**County: CHRISTIAN**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HOPKINSVILLE AGGREGATE COMPANY</b><br>355 HARRY BERRY RD<br>US 41A<br>HOPKINSVILLE, KY 42240<br>License ID: 10611 | 03/26/2013 | 03/07/2013 | 96.8      | 97.4        | 45.8        | 69.34 | 04/17/2013         |
| <b>APEX MATERIALS LLC</b><br>20215 NORTH GREENVILLE RD<br>WHITE PLAINS, KY 42464<br>License ID: 19875                | 03/28/2013 | 03/07/2013 | 68.8      | 99.3        | 18.4        | 40.5  | 04/09/2013         |

**Limestone Sample Tests Performed**

from 01/01/2013 to 04/22/2013

**County: CLINTON**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>GADDIE SHAMROCK LLC/CALDWELL QUARRY</b><br>HWY 1590<br>ALBANY, KY 42602<br>License ID: 10648 | 03/26/2013 | 03/19/2013 | 91.5      | 99.4        | 43.0        | 65.12 | 04/17/2013         |

**County: CRITTENDEN**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>ROGERS GROUP MARION QUARRY</b><br>1921 SR 1668<br>MARION, KY 42064<br>License ID: 32536 | 03/28/2013 | 03/11/2013 | 102.1     | 93.2        | 45.8        | 70.95 | 04/17/2013         |

**County: DAVIESS**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>YAGER MATERIALS LLC</b><br>701 E SECOND ST<br>OWENSBORO, KY 42303<br>License ID: 10699 | 03/04/2013 | 03/26/2013 | 89.5      | 80.5        | 16.1        | 43.21 | 04/17/2013         |

**County: ESTILL**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>TIPTON RIDGE QUARRY</b><br>SR 1 KY 52<br>RAVENNA, KY 40472<br>License ID: 10657 | 03/26/2013 | 03/18/2013 | 93.7      | 90.2        | 30.7        | 56.65 | 04/17/2013         |

**County: FAYETTE**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>VULCAN MATERIALS CO</b><br>7430 ELKLICK FALLS RD<br>LEXINGTON, KY 40515<br>License ID: 10697 | 04/10/2013 | 03/19/2013 | 95.8      | 81.6        | 23.6        | 50.41 | 04/17/2013         |

**County: FLEMING**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HANSON AGGREGATES MIDWEST LLC FLEMINGSBURG QUARRY</b><br>KY HWY 11<br>FLEMINGSBURG, KY 41041<br>License ID: 10679 | 03/28/2013 | 03/14/2013 | 92.5      | 94.4        | 54.8        | 68.97 | 04/17/2013         |

**Limestone Sample Tests Performed**

from 01/01/2013 to 04/22/2013

**County: FULTON**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>SPEED AG SERVICE LLC</b><br>345 ST RT 166 W<br>HICKMAN, KY 42050<br>License ID: 17402 | 03/26/2013 | 03/07/2013 | 100.6     | 97.3        | 56.4        | 77.3  | 04/17/2013         |
| <b>RIVERFRONT LIMESTONE LLC</b><br>360 SR 1354<br>HICKMAN, KY 42050<br>License ID: 27155 | 03/26/2013 | 03/07/2013 | 98.8      | 90.9        | 41.0        | 65.18 | 04/17/2013         |

**County: GALLATIN**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV  | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|------|--------------------|
| <b>STERLING MATERIALS</b><br>100 SIERRA DR<br>VERONA, KY 41092<br>License ID: 10674 | 04/10/2013 | 03/22/2013 | 96.0      | 67.6        | 14.3        | 39.3 | 04/17/2013         |

**County: GRAVES**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>MAYFIELD GRAIN CO</b><br>622 ALLEN ST<br>MAYFIELD, KY 42066<br>License ID: 6390 | 03/26/2013 | 03/07/2013 | 104.8     | 96.0        | 51.0        | 77.06 | 04/17/2013         |
| <b>MATHIS FARM SUPPLY</b><br>5799 SHAW RD<br>MELBER, KY 42069<br>License ID: 10597 | 03/26/2013 | 03/11/2013 | 99.3      | 94.9        | 54.1        | 74.01 | 04/17/2013         |

**County: GRAYSON**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>SCOTTYS CONTRACTING &amp; STONE LLC</b><br>450 QUARRY RD<br>LEITCHFIELD, KY 42754<br>License ID: 10660 | 04/11/2013 | 04/09/2013 | 91.6      | 99.0        | 35.5        | 61.59 | 04/17/2013         |

**County: GREEN**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV  | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|------|--------------------|
| <b>NALLY &amp; HAYDON SURFACING LLC</b><br>2410 COLUMBIA HWY<br>GREENSBURG, KY 42743<br>License ID: 10632 | 04/10/2013 | 03/25/2013 | 96.6      | 99.0        | 38.7        | 66.5 | 04/17/2013         |

**Limestone Sample Tests Performed**

from 01/01/2013 to 04/22/2013

**County: HANCOCK**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HANCOCK COUNTY READY MIXED CONCRETE</b><br>5330 RIVER RD<br>HAWESVILLE, KY 42348<br>License ID: 10610 | 04/11/2013 | 03/06/2013 | 93.8      | 95.1        | 32.8        | 60.01 | 04/17/2013         |

**County: HARDIN**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HANSON AGGREGATES MIDWEST LLC UPTON QUARRY</b><br>607 QUARRY RD<br>UPTON (HARDIN), KY 42784<br>License ID: 10686 | 03/28/2013 | 03/11/2013 | 96.5      | 93.7        | 35.6        | 62.36 | 04/17/2013         |
| <b>MINK BROS QUARRY LLC</b><br>11889 LEITCHFIELD RD<br>CECILIA, KY 42724<br>License ID: 31062                       | 03/28/2013 | 03/11/2013 | 97.1      | 99.0        | 46.7        | 70.73 | 04/17/2013         |

**County: HART**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HART COUNTY STONE COMPANY</b><br>1594 E MAIN ST HWY 218<br>HORSE CAVE, KY 42749<br>License ID: 10664 | 04/10/2013 | 03/12/2013 | 93.2      | 99.3        | 28.2        | 59.42 | 04/17/2013         |

**County: HENDERSON**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV  | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|------|--------------------|
| <b>HENDERSON MATERIALS</b><br>2351 OLD GENEVA ROAD<br>HENDERSON, KY 42420<br>License ID: 10598 | 03/26/2013 | 03/06/2013 | 96.1      | 99.5        | 36.0        | 65.1 | 04/17/2013         |

**County: HENRY**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>LITERS INC / LOCKPORT PLANT</b><br>1058 RIVER RD<br>LOCKPORT, KY 40036<br>License ID: 10642 | 04/10/2013 | 03/22/2013 | 94.3      | 91.7        | 40.9        | 62.54 | 04/17/2013         |

**County: HICKMAN**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>AGRI CHEM INC</b><br>245 GIN RD<br>CLINTON, KY 42031<br>License ID: 10617 | 03/26/2013 | 03/07/2013 | 107.4     | 77.8        | 31.3        | 58.56 | 04/17/2013         |

**Limestone Sample Tests Performed**

from 01/01/2013 to 04/22/2013

**County: JESSAMINE**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>LEXINGTON QUARRY CO</b><br>2200 CATNIP HILL RD<br>NICHOLASVILLE, KY 40356<br>License ID: 10629 | 04/10/2013 | 03/19/2013 | 93.5      | 70.1        | 15.1        | 39.81 | 04/17/2013         |

**County: LETCHER**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV  | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|------|--------------------|
| <b>MOUNTAIN AGGREGATES INC</b><br>12536 HWY 805<br>BURDINE, KY 41517<br>License ID: 10609 | 04/17/2013 | 04/09/2013 | 89.2      | 50.4        | 11.7        | 27.7 | 04/17/2013         |

**County: LIVINGSTON**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>PINE BLUFF SAND &amp; GRAVEL COMPANY</b><br>780 SPENCER RD<br>SALEM, KY 42078<br>License ID: 28803 | 03/28/2013 | 03/09/2013 | 95.7      | 91.6        | 25.7        | 56.13 | 04/17/2013         |

**County: LOGAN**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HANSON AGGREGATES MIDWEST LLC</b><br><b>RUSSELLVILLE QUARRY</b><br>1136 MORGANTOWN RD<br>RUSSELLVILLE, KY 42276<br>License ID: 10630 | 03/28/2013 | 03/07/2013 | 101.5     | 89.2        | 30.7        | 60.83 | 04/17/2013         |

**County: MADISON**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>SPARTAN ROCK PRODUCTS INC</b><br>2591 OLD BOONESBORO RD<br>RICHMOND, KY 40475<br>License ID: 10623                  | 04/10/2013 | 03/19/2013 | 94.7      | 100.0       | 99.9        | 94.66 | 04/17/2013         |
| <b>THE ALLEN COMPANY INC</b><br><b>BOONESBORO</b><br>2591 OLD BOONESBORO RD<br>RICHMOND, KY 40475<br>License ID: 10624 | 04/10/2013 | 03/19/2013 | 94.5      | 96.0        | 47.0        | 67.54 | 04/17/2013         |

**County: MARION**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>NALLY &amp; HAYDON SURFACING LLC</b><br>1270 HWY 208<br>LEBANON, KY 40033<br>License ID: 10644 | 04/10/2013 | 04/02/2013 | 85.0      | 99.2        | 39.1        | 58.74 | 04/17/2013         |

**Limestone Sample Tests Performed**

from 01/01/2013 to 04/22/2013

**County: MEADE**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>RIVERSIDE STONE CO</b><br>4800 CEDAR FLAT RD<br>BATTLETOWN, KY 40104<br>License ID: 10612   | 03/28/2013 | 03/06/2013 | 97.1      | 93.5        | 38.6        | 64.13 | 04/17/2013         |
| <b>HILLTOP COMPANY</b><br>1994 PARADISE BOTTOM RD<br>BATTLETOWN, KY 40104<br>License ID: 28141 | 04/11/2013 | 03/06/2013 | 94.0      | 66.2        | 19.5        | 40.26 | 04/17/2013         |

**County: MENIFEE**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>THE WALKER CO OF KY INC/MENIFEE STONE</b><br>HWY 713<br>FRENCHBURG, KY 40322<br>License ID: 10690 | 04/10/2013 | 03/20/2013 | 93.2      | 98.9        | 80.1        | 83.42 | 04/17/2013         |

**County: MERCER**

| Company  | Tested On                | Sampled On               | Calcium %    | Sieve #10 %  | Sieve #50 %  | RNV            | Results Printed on       |
|--|--------------------------|--------------------------|--------------|--------------|--------------|----------------|--------------------------|
| <b>MERCER STONE CO</b><br>1050 BURGIN RD<br>HARRODSBURG, KY 40330<br>License ID: 10628 | 04/10/2013<br>02/08/2013 | 04/02/2013<br>01/23/2013 | 93.5<br>94.5 | 94.0<br>92.2 | 29.5<br>34.3 | 57.71<br>59.75 | 04/17/2013<br>02/07/2013 |

**County: MONROE**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV  | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|------|--------------------|
| <b>GLASS AGGREGATES LLC</b><br>490 ROCK CRUSHER RD<br>TOMPKINSVILLE, KY 42167<br>License ID: 10625 | 03/26/2013 | 03/19/2013 | 89.5      | 99.8        | 71.0        | 76.4 | 04/17/2013         |

**County: MONTGOMERY**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>THE WALKER CO OF KY INC/ MONTGOMERY STONE</b><br>7324 DONALDSON ROAD<br>MT STERLING, KY 40353<br>License ID: 10650 | 03/28/2013 | 03/14/2013 | 91.0      | 73.3        | 32.3        | 48.03 | 04/17/2013         |

**County: MORGAN**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>CAVE RUN STONE</b><br>10215 KY 519<br>WEST LIBERTY, KY 41472<br>License ID: 10672 | 04/10/2013 | 03/20/2013 | 98.5      | 93.6        | 77.8        | 84.38 | 04/17/2013         |



**Limestone Sample Tests Performed**

from 01/01/2013 to 04/22/2013

**County: MUHLENBERG**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>GREENVILLE QUARRIES</b><br>200 S CHERRY ST<br>GREENVILLE, KY 42345<br>License ID: 10637 | 03/26/2013 | 03/07/2013 | 87.7      | 94.6        | 27.1        | 53.37 | 04/17/2013         |

**County: NELSON**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV  | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|------|--------------------|
| <b>CEDAR CREEK QUARRY, LLC</b><br>2095 E JOHN ROWAN BLVD<br>BARDSTOWN, KY 40004<br>License ID: 10599 | 04/10/2013 | 04/02/2013 | 99.8      | 97.0        | 30.4        | 63.6 | 04/17/2013         |

**County: OHIO**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>BLUEGRASS MATERIALS CO LLC</b><br>9352 SR 69 E<br>HARTFORD, KY 42347<br>License ID: 10600 | 03/28/2013 | 03/12/2013 | 89.5      | 89.1        | 35.3        | 55.64 | 04/17/2013         |

**County: OLDHAM**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>OLDHAM COUNTY STONE</b><br>7700 W HWY 329<br>CRESTWOOD, KY 40014<br>License ID: 10618 | 04/11/2013 | 03/22/2013 | 95.3      | 98.5        | 42.6        | 67.26 | 04/17/2013         |

**County: OUT-OF-STATE**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV    | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|--------|--------------------|
| <b>JELLICO STONE COMPANY</b><br>HWY 25<br>JELLICO, TN 37762<br>License ID: 10652       | 04/10/2013 | 03/21/2013 | 89.1      | 97.4        | 43.3        | 62.67  | 04/17/2013         |
| <b>E DILLON &amp; COMPANY</b><br>HWY 67<br>SWORDS CREEK, VA 24649<br>License ID: 10661 | 04/17/2013 | 04/09/2013 | 101.5     | 100.0       | 99.3        | 101.11 | 04/17/2013         |

**County: PENDLETON**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HILLTOP STONE LLC</b><br>1405 HWY 177 E<br>BUTLER, KY 41006<br>License ID: 10645 | 03/28/2013 | 03/15/2013 | 82.1      | 96.9        | 28.8        | 51.58 | 04/17/2013         |

**Limestone Sample Tests Performed**

from 01/01/2013 to 04/22/2013

**County: POWELL**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>NATURAL BRIDGE STONE</b><br>KY 15<br>STANTON, KY 40380<br>License ID: 10656 | 04/10/2013 | 03/20/2013 | 93.7      | 97.0        | 29.6        | 59.32 | 04/17/2013         |

**County: PULASKI**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>SOMERSET STONE COMPANY</b><br>KY 80 BYPASS<br>SOMERSET, KY 42502<br>License ID: 10655   | 04/10/2013 | 03/27/2013 | 95.6      | 94.0        | 37.7        | 62.94 | 04/17/2013         |
| <b>HANSON AGGREGATES MIDWEST LLC</b><br><b>LAUREL QUARRY</b><br>13670 EAST HIGHWAY 80<br>SOMERSET, KY 42501<br>License ID: 10689 | 04/10/2013 | 03/27/2013 | 95.0      | 96.7        | 39.5        | 64.67 | 04/17/2013         |

**County: ROCKCASTLE**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HANSON AGGREGATES MIDWEST LLC</b><br><b>MT VERNON QUARRY</b><br>HWY 150<br>MT VERNON, KY 40456<br>License ID: 10682 | 04/11/2013 | 03/26/2013 | 94.2      | 98.8        | 42.0        | 66.32 | 04/17/2013         |

**County: SCOTT**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>NALLY &amp; GIBSON GEORGETOWN LLC</b><br>1267 E MAIN ST<br>GEORGETOWN, KY 40324<br>License ID: 10626 | 03/28/2013 | 03/15/2013 | 97.7      | 91.4        | 24.4        | 56.58 | 04/17/2013         |

**County: SIMPSON**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>HANSON AGGREGATES MIDWEST LLC</b><br><b>FRANKLIN QUARRY</b><br>211 OLD NASHVILLE RD S<br>WOODBURN, KY 42170<br>License ID: 10688 | 03/28/2013 | 03/07/2013 | 100.8     | 82.0        | 35.6        | 59.29 | 04/17/2013         |

**Limestone Sample Tests Performed**

from 01/01/2013 to 04/22/2013

**County: UNION**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>RATLEY TRUCKING COMPANY INC</b><br>374 URTON GAP RD<br>STURGIS, KY 42459<br>License ID: 10615 | 03/28/2013 | 03/12/2013 | 98.1      | 95.8        | 56.0        | 74.45 | 04/17/2013         |

**County: WARREN**

| Company  | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV   | Results Printed on |
|--|------------|------------|-----------|-------------|-------------|-------|--------------------|
| <b>BLUEGRASS MATERIALS</b><br>809 MCGINNUS QUARRY RD<br>BOWLING GREEN, KY 42101<br>License ID: 10638 | 04/10/2013 | 03/12/2013 | 95.6      | 93.6        | 48.1        | 67.72 | 04/17/2013         |
| <b>BLUEGRASS MATERIALS</b><br>2195 BARREN RIVER RD<br>BOWLING GREEN, KY 42101<br>License ID: 10647   | 04/11/2013 | 03/12/2013 | 93.7      | 99.7        | 36.5        | 63.82 | 04/17/2013         |

**County: WAYNE**

| Company   | Tested On  | Sampled On | Calcium % | Sieve #10 % | Sieve #50 % | RNV  | Results Printed on |
|---|------------|------------|-----------|-------------|-------------|------|--------------------|
| <b>BASSETT STONE CO</b><br>120 VICTORY AVE<br>MONTICELLO, KY 42633<br>License ID: 10653 | 03/26/2013 | 03/19/2013 | 99.5      | 94.1        | 37.2        | 65.3 | 04/17/2013         |

|                        |           |                     |           |
|------------------------|-----------|---------------------|-----------|
| <b>Total companies</b> | <b>73</b> | <b>Total tests:</b> | <b>74</b> |
|------------------------|-----------|---------------------|-----------|